

Liquid Handling Consumables



Masters of precision

Capp Consumables



















More than 25 years of expertise as a pipette manufacturer gives Capp the necessary know-how to select and design premium consumables that match the expectations of the strictest laboratory customers.

Capp consumables consist of pipette tips, serological pipettes, centrifuge tubes, PCR and cryogenic products, fulfilling the needs of research, diagnostics and analytical laboratories.

All Capp laboratory consumables are made of ultimate quality plastics with extra polished interior and clearly visible markings, assuring they will work perfectly not only in combination with Capp instruments, but also secure premium results when used with other brands' equipment.



INDEX

Expell / ExpellPlus Filter Tips		4
ExpellPlus Individually Wrapped Tips		6
ExpellPlus Low Retention Tips		7
Expell / ExpellPlus Racked Tips		8
Expell Reload System		10
Expell / ExpellPlus Bulk Pipette Tips		12
Expell / ExpellPlus Compatibility List		14
Capp <i>Harmony</i> Serological Pipettes		16
Blu Capp 15mL/50mL Centrifuge Tubes		17
Expell Cryo Tubes		18
Expell Cryo Boxes		19
Expell Microcentrifuge Tubes		20
Expell Black Microcentrifuge Tubes		21
Expell PCR Tubes and Plates		22
Expell 384-well PCR Plates		23
Capp Instrument Overview		24
Capp <i>Harmony</i> Retips		25
Capp <i>Harmony</i> Retips Compatibility List		26

Expell and ExpellPlus

FILTER TIPS

Filter tips are primarily used to prevent cross-contamination on critical applications such as in the field of Molecular Biology.

More than 25 years of expertise as a pipette manufacturer gives Capp the necessary know-how to select and design tips that match the expectations of the strictest customers.

Premium filter

Controlled pore size
No use of additives
Pure for molecular, clinical and life science use
Dimensional consistency

Premium design

Universal tip compatibility
Crystal clear clarity
Accurate graduation marks

Premium specifications

Low retention properties
Great finish, flash-free orifice
Certified DNase, RNase, DNA/RNA, Pyrogen Free



Capp offers a wide range of high quality tips to fulfill the pipetting needs of research, diagnostics and analytical laboratories.

Premium design

- Universal compatibility to the great majority of pipette brands on the market
- Different lengths within the same volume range for different applications
- Crystal clear clarity and increment marks for convenience of use

Premium portfolio

- Select from **ExpellPlus** low retention or **Expell** standard (both of premium quality)
- Options of bulk, racked, racked-sterile, reloads, racked-sterile-filtered and bulk-filtered tips
- Different designs of tips within the same volume range to fit almost all pipettes available on the market

Premium manufacturing

- Absolutely no compromise made on the quality parameters
- Clean-room facility to eliminate the risk of contamination
- Certified RNase, DNase, DNA and Pyrogen free
- Superb quality, Swiss made injection molds
- Made from virgin polypropylene



Ordering Information

Expell and ExpellPlus Filter tips

Cat. No.	Description
5030030C	ExpellPlus 10µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130030C	Expell 10µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131030C	Expell 10µL, bag, w/ filter, 20x1000 pcs.
5030060C	ExpellPlus 10µL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130060C	Expell 10µL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131060C	Expell 10µL XL, bag, w/ filter, 20x1000 pcs.
5030061C	ExpellPlus 10µL XL, Extra Narrow, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130061C	Expell 10µL XL, Extra Narrow, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131061C	Expell 10µL XL, Extra Narrow, bag, w/ filter, 20x1000 pcs.
5030062C	ExpellPlus 20µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130062C	Expell 20µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131062C	Expell 20µL, bag, w/ filter, 10x1000 pcs.
5030066C	ExpellPlus 100µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130066C	Expell 100µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131066C	Expell 100µL, bag, w/ filter, 10x1000 pcs.
5030090C	ExpellPlus 200µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130090C	Expell 200µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5131090C	Expell 200µL, bag, w/ filter, 10x1000 pcs.
5030115C	ExpellPlus 300µL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130150C	Expell 1000µL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.
5131150C	Expell 1000µL, bag, w/ filter, 10x1000 pcs.
5130123C	Expell 1250µL XL, pre-sterile w/ filter, hinged racks, 4x8x96 pcs.

ExpellPlus

INDIVIDUALLY WRAPPED TIPS




ExpellPlus individually wrapped tips are ideal for sensitive applications requiring the strictest aseptic conditions.

Their unique individual packing ensures sterility for every single pipetting cycle, maximizing the exceptional performance of **ExpellPlus** sterile tips.

Assuring the greatest purity standards, **ExpellPlus** individually wrapped tips are free from Endotoxin, DNA, DNase, RNase and PCR inhibitor.

Available in four volume sizes: 10µL standard and extended length, 200µL and 1000-1250µL, **ExpellPlus** individually wrapped tips are universally compatible with the majority of pipette brands available on the market. Thanks to the unique composition of plastic polymer, the inner surface of **ExpellPlus** individually wrapped tips is more hydrophobic, which significantly reduces sample adhesion. These low retention properties minimize sample binding inside the tip, making **ExpellPlus** tips ideal for applications requiring high accuracy and reproducibility.

ExpellPlus individually wrapped tips are sterile. Batch number and expiration date are printed on each individual wrap.



Ordering Information

Expell and ExpellPlus Individually Wrapped Tips

Cat. No.	Description
5030012C	ExpellPlus 10µL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5030042C	ExpellPlus 10µL XL, pre-sterile, long, clear, bag, 5x400 pcs. individually wrapped
5030072C	ExpellPlus 200µL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5130132C	Expell 1000µL (1250µL), pre-sterile, clear, bag, 5x200 pcs. individually wrapped

ExpellPlus


LOW RETENTION TIPS

Thanks to the unique composition of the plastic polymer, Capp's premium **ExpellPlus** low retention pipette tips have an ultra-smooth inner surface, minimizing any sample binding. The polymer composition along with the high quality Swiss molds, on which the tips are manufactured, enables Capp to obtain the low retention properties without the use of any surface additives.

ExpellPlus low retention tips are ideal for pipetting viscous samples, which are normally difficult to dispense in full. Samples such as plasma, enzymes, foaming liquids, detergents, TRIS or BSA can be handled comfortably and without any waste with Capp low retention tips. On the top of that, **ExpellPlus** low retention tips can significantly reduce the waste of expensive reagents.

ExpellPlus low retention tips are the perfect choice for volumes below 1mL and help to improve the accuracy and reproducibility of pipetting results. Even the smallest amount of liquid remaining in the tip after dispensing can have a negative impact on the pipetting results. Capp **ExpellPlus** low retention tips are manufactured in a clean-room facility and are all RNase, DNase and Pyrogen free certified and sterile.

Below pictures show a comparison of the liquid remaining after dispensing in a standard tip and in an **ExpellPlus** low retention tip. **ExpellPlus** low retention tips are universally compatible with the majority of other pipette brands.



Ordering Information

ExpellPlus Low Retention Non-Filter Tips

Cat. No.	Description
5030010C	ExpellPlus 10μL, pre-sterile, clear, bag, 20x1000 pcs.
5030012C	ExpellPlus 10μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5030020C	ExpellPlus 10μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030040C	ExpellPlus 10μL XL, pre-sterile, clear, bag, 20x1000 pcs.
5030042C	ExpellPlus 10μL XL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5030050C	ExpellPlus 10μL XL, pre-sterile, hinged racks, 5x10x96 pcs.
5030051C	ExpellPlus 10μL XL, Extra Narrow, pre-sterile, hinged racks, 5x10x96 pcs.
5030070C	ExpellPlus 200μL, pre-sterile, clear, bag, 10x1000 pcs.
5030072C	ExpellPlus 200μL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5030080C	ExpellPlus 200μL, pre-sterile, hinged racks, 5x10x96 pcs.
5130110C	ExpellPlus 300μL, pre-sterile, hinged racks, 5x10x96 pcs.

ExpellPlus Low Retention Filter Tips

Cat. No.	Description
5030030C	ExpellPlus 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030060C	ExpellPlus 10μL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030061C	ExpellPlus 10μL XL, Extra Narrow, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030062C	ExpellPlus 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030066C	ExpellPlus 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030090C	ExpellPlus 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030115C	ExpellPlus 300μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.

Expell & ExpellPlus

RACKED TIPS

Capp offers a wide portfolio of racked pipette tips. The racks are compatible with Capp bulk tips of the corresponding volume sizes as well as with Capp reload system. All Capp racked pipette tips are manufactured on superb quality, Swiss-made injection molds ensuring a Premium quality.

The racked tips product portfolio covers filter, non-filter, sterile and non-sterile tips. On the top of that, Capp racked tips are available as **Expell** standard quality and **ExpellPlus** low-retention tips.

Both versions are universally compatible with great majority of the pipette brands available on the market.

In order to support a wider range of applications, Capp racked tips are available in different lengths within the same volume range. The autoclavable racks are packed in user-friendly and space-saving dispenser boxes, including 10 racks (for the majority of volume sizes) or 8 racks for the 1mL tips.

Made of virgin polypropylene, Capp racked tips are RNase, DNase and Pyrogen free certified.

The **ExpellPlus** racked tips have unique low retention properties, reducing sample binding to the minimum and significantly improving your pipetting results.





Ordering Information

Cat. No.	Description
5030015C	Expell 10μL, hinged racks, 5x10x96 pcs.
5030020C	ExpellPlus 10μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030030C	ExpellPlus 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130030C	Expell 10μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030045C	Expell 10μL XL, hinged racks, 5x10x96 pcs.
5030046C	Expell 10μL XL, Extra Narrow, hinged racks, 5x10x96 pcs.
5030050C	ExpellPlus 10μL XL, pre-sterile, hinged racks, 5x10x96 pcs.
5030051C	ExpellPlus 10μL XL, Extra Narrow, pre-sterile, hinged racks, 5x10x96 pcs.
5030060C	ExpellPlus 10μL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130060C	Expell 10μL XL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030061C	ExpellPlus 10μL XL, Extra Narrow, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130061C	Expell 10μL XL, Extra Narrow, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030062C	ExpellPlus 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130062C	Expell 20μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030066C	ExpellPlus 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130066C	Expell 100μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5030075C	Expell 200μL, hinged racks, 5x10x96 pcs.
5030080C	ExpellPlus 200μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030090C	ExpellPlus 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130090C	Expell 200μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130105C	Expell 300μL, hinged racks, 5x10x96 pcs.
5130110C	ExpellPlus 300μL, pre-sterile, hinged racks, 5x10x96 pcs.
5030115C	ExpellPlus 300μL, pre-sterile w/ filter, hinged racks, 5x10x96 pcs.
5130135C	Expell 1000μL (1250μL), hinged racks, 4x8x96 pcs.
5130140C	Expell 1000μL (1250μL), pre-sterile, hinged racks, 4x8x96 pcs.
5130150C	Expell 1000μL (1250μL), pre-sterile w/ filter, hinged racks, 4x8x96 pcs.
5130121C	Expell 1250μL XL, hinged racks, 4x8x96 pcs.
5130122C	Expell 1250μL XL, pre-sterile, hinged racks, 4x8x96 pcs.
5130123C	Expell 1250μL XL, pre-sterile w/filter, hinged racks, 4x8x96 pcs.
5130165C	Expell 5000μL, pre-sterile, racks, 10x50 pcs.
5130195C	Expell 10000μL, pre-sterile, racks, 10x25 pcs.

Expell

RELOAD SYSTEM

Expell pipette tips reload system is available for 10µL standard and extended length as well as for the 200µL and 1000-1250µL tips. Depending on the tip volume, it consists of towers with 5 or 10 insert plates containing 96 tips each.

The system is extremely easy to use: take off the tower cover and pick up the insert plate with tips. Place it into the empty rack. The rack has been refilled with 96 tips.

Expell reload system enables multiple savings. It reduces the shipping cost significantly by cutting off up to 75% of the volume being shipped. The tips in an Expell reload system are packed more compact compared to standard racked or bulk tips.

In the **Expell** reload system the tips from the upper insert plate are partially placed into the tips of the lower plate, resulting in a slim tower, taking much less space than a single box with 10 racked tips.

Capp **Expell** reload system reduces the plastic waste. Each rack can be reused multiple times and apart from the insert plates with tips, there is no further plastic component in the **Expell** reload system – only the recyclable carton packaging.




Further saving with **Expell** reload system concerns the space. Thanks to the minimal footprint, the towers of the **Expell** reload system take the minimum space on the benchtop and in the storage room.

The system is compatible with all Capp racks of corresponding tip volumes. Spare, empty racks are available as accessories.

Ordering Information

Expell Reload System

Cat. No.	Description
5030035C	Expell 10µL, reload, 10x10x96 pcs.
5030034C	Empty rack for 10µL reload tips, 50 pcs.
5030095C	Expell 200µL, reload, 10x10x96 pcs.
5030094C	Empty rack for 200µL reload tips, 50 pcs.
5130155C	Expell 1000µL (1250µL), reload, 10x5x96 pcs.
5130125C	Empty rack for 1000µL (1250µL) reload tips, 32 pcs.



Expell and ExpellPlus

BULK PIPETTE TIPS

Expell and **ExpellPlus** Bulk tips come in self-standing and self-sealing plastic bags, enabling comfortable usage and storage.

The tips can be used directly from the bag or manually refilled into all Capp racks. Each bag has a label showing the catalogue and the batch number for easier identification.

Capp Bulk pipette tips are the ideal choice for cost-sensitive customers. The tips are manufactured under the same strict conditions as all other types of Capp tips and are certified according to RNase, DNase, DNA and Pyrogen free standards. They offer universal compatibility with all major pipette brands on the market.



Expell and ExpellPlus

BULK PIPETTE TIPS

Ordering Information

Expell Bulk Filter Tips

Cat. No.	Description
5131030C	Expell 10µL, bag, w/ filter, 20x1000 pcs.
5131060C	Expell 10µL XL, bag, w/ filter, 20x1000 pcs.
5131061C	Expell 10µL XL, Extra Narrow, bag, w/ filter, 20x1000 pcs.
5131062C	Expell 20µL, bag, w/ filter, 10x1000 pcs.
5131066C	Expell 100µL, bag, w/ filter, 10x1000 pcs.
5131090C	Expell 200µL, bag, w/ filter, 10x1000 pcs.
5131150C	Expell 1000µL, bag, w/ filter, 10x1000 pcs.


Expell and ExpellPlus Bulk Non-filter Tips

Cat. No.	Description
5130010C	Expell 10µL, clear, bag, 20x1000 pcs.
5030010C	ExpellPlus 10µL, pre-sterile, clear, bag, 20x1000 pcs.
5030012C	ExpellPlus 10µL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5130040C	Expell 10µL XL, clear, bag, 20x1000 pcs.
5030040C	ExpellPlus 10µL XL, pre-sterile, clear, bag, 20x1000 pcs.
5130041C	Expell 10µL XL, Extra Narrow, clear, bag, 20x1000 pcs.
5030042C	ExpellPlus 10µL XL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5130070C	Expell 200µL, clear, bag, 10x1000 pcs.
4130075C	Expell 200µL, yellow, bag, 10x1000 pcs.
5030070C	ExpellPlus 200µL, pre-sterile, clear, bag, 10x1000 pcs.
5030072C	ExpellPlus 200µL, pre-sterile, clear, bag, 5x400 pcs. individually wrapped
5130100C	Expell 300µL, clear, bag, 10x1000 pcs.
5130130C	Expell 1000µL (1250µL), clear, bag, 5x1000 pcs.
4130135C	Expell 1000µL (1250µL), blue, bag, 5x1000 pcs.
5130132C	Expell 1000µL (1250µL), pre-sterile, clear, bag, 5x200 pcs. individually wrapped
5130120C	Expell 1250µL XL, clear, bag, 4x1000 pcs.
5130160C	Expell 5000µL, clear, bag, 10x250 pcs.
5130190C	Expell 10000µL, clear, bag, 5x200 pcs.

Expell & ExpellPlus

COMPATIBILITY CHART

For tips' compatibility with other pipette brands, please contact info@capp.dk



5130010C
5030010C
5030012C
5030015C
5030020C
5030035C

5030030C
5130030C
5131030C

5130040C
5030040C
5030042C
5030045C
5030050C
5030055C

5030060C
5130060C
5131060C

5130041C
5030041C
5030046C
5030051C

5030061C
5130061C
5131061C

5030062C
5130062C
5131062C


5030066C
5130066C
5131066C











Capp Bravo, ecopipette and CappAero single channel pipette	0.2-2µL 0.5-10µL	0.2-2µL 0.5-10µL	0.2-2µL 0.5-10µL	0.2-2µL 0.5-10µL	0.2-2µL 0.5-10µL	0.2-2µL 0.5-10µL	2-20µL	5-50µL 10-100µL
Capp electronic pipettes and CappAero multichannel	0.5-10µL 2-20µL	0.5-10µL 2-20µL	0.5-10µL 2-20µL	0.5-10µL 2-20µL	0.5-10µL 2-20µL	0.5-10µL 2-20µL	x	5-50µL 10-100µL
Biohit eline, mline, Proline Plus	0.1-3µL 0.5-10µL	0.1-3µL 0.5-10µL	0.1-3µL 0.5-10µL	0.1-3µL 0.5-10µL	0.1-3µL 0.5-10µL	0.1-3µL 0.5-10µL	2-20µL	2-20µL 10-100µL
Brand Transferpette, Transferpette S, Transferpette Electronic	0.5-10µL	0.5-10µL	0.5-10µL	0.5-10µL	0.5-10µL	0.5-10µL	2-20µL	x
Eppendorf Reference, Research Plus	0.1-2.5µL 0.5-10µL	0.5-10µL	0.1-2.5µL 0.5-10µL	0.1-2.5µL 0.5-10µL	0.1-2.5µL 0.5-10µL	0.1-2.5µL 0.5-10µL	2-20µL	2-20µL 10-100µL
Finnpipette Digital	0.5-10µL	0.5-10µL	0.5-10µL	0.5-10µL	0.5-10µL	0.5-10µL	2-20µL	5-50µL
Gilson Pipetman	0.2-2µL 1-10µL	0.2-2µL 1-10µL	0.2-2µL 1-10µL	0.2-2µL 1-10µL	0.2-2µL 1-10µL	0.2-2µL 1-10µL	2-20µL	2-20µL 10-100µL
Rainin Classic, universal shaft (non LTS)	0.1-2µL 0.5-10µL	0.1-2µL 0.5-10µL	0.2-2µL 1-10µL	0.1-2µL 0.5-10µL	0.2-2µL 1-10µL	0.1-2µL 0.5-10µL	2-20µL	2-20µL 10-100µL
VWR, Labnet, HTL mechanical pipettes	0.1-2µL 0.5-10µL	0.1-2µL 0.5-10µL	0.2-2µL 1-10µL	0.1-2µL 0.5-10µL	0.2-2µL 1-10µL	0.1-2µL 0.5-10µL	2-20µL	2-20µL 10-100µL

Expell & ExpellPlus

COMPATIBILITY CHART

For tips' compatibility with other pipette brands, please contact info@capp.dk



									
5130070C 5030070C 5030072C 4130075C 5030075C 5030080C 5030095C	5030090C 5130090C 5131090C	5130100C 5130105C 5130110C	5030115C	5130130C 5130132C 4130135C 5130135C 5130140C 5130155C	5130150C 5131150C	5130120C 5130121C 5130122C	5130123C	5130160C 5130165C	5130190C 5130195C
2-20µL 5-50µL 10-100µL 20 - 200µL	2-20µL 5-50µL 10-100µL 20 - 200µL	2-20µL 5-50µL 10-100µL 20 - 200µL	2-20µL 5-50µL 10-100µL 20 - 200µL	100-1000µL	100-1000µL	100-1000µL	100-1000µL	1-5mL	1-10mL
5-50µL 10-100µL 20 - 200µL	5-50µL 10-100µL 20 - 200µL	5-50µL 10-100µL 20-200µL 30-300µL	5-50µL 10-100µL 20-200µL 30-300µL	100-1200µL	100-1200µL	100-1200µL	100-1200µL	500-5000µL	x
2-20µL 10-100µL 20- 200µL	10-100µL 20-200µL	2-20µL 10-100µL 20 - 200µL	2-20µL 10-100µL 20 - 200µL	100-1000µL	100-1000µL	100-1000µL	100-1000µL	x	1-10mL
2-20µL 10-100µL 20- 200µL	20-200µL	20-200µL 15-300µL	20-200µL 15-300µL	100-1000µL	100-1000µL	100-1000µL	100-1000µL	x	x
2-20µL 10-100µL 20- 200µL	20-200µL	10-100µL 20-200µL 30-300µL	10-100µL 20-200µL 30-300µL	100-1000µL	100-1000µL	100-1000µL	100-1000µL	x	1-10mL
2-20µL 5-50µL 20- 200µL	5-50µL 20-200µL	5-50µL 20-200µL 30-300µL	5-50µL 20-200µL 30-300µL	100-1000µL 200-1000µL	100-1000µL 200-1000µL	100-1000µL 200-1000µL	100-1000µL 200-1000µL	x	x
2-20µL 20-100µL 50-200µL	2-20µL 10-100µL 20-200µL	2-20µL 20-100µL 50-200µL	2-20µL 20-100µL 50-200µL	100-1000µL 200-1000µL	100-1000µL 200-1000µL	100-1000µL 200-1000µL	100-1000µL 200-1000µL	1-5mL	1-10mL
2-20µL 10-100µL 20-200µL	2-20µL 10-100µL 20-200µL	2-20µL 10-100µL 20-200µL	2-20µL 10-100µL 20-200µL	100-1000µL	100-1000µL	100-1000µL	100-1000µL	1-5mL	1-10mL
2-20µL 10-100µL 20-200µL	2-20µL 10-100µL 20-200µL	2-20µL 10-100µL 20-200µL	2-20µL 10-100µL 20-200µL	100-1000µL	100-1000µL	100-1000µL	100-1000µL	1-5mL	1-10mL


Capp Harmony

SEROLOGICAL PIPETTES

Capp Harmony pipettes are made from transparent medical-grade polystyrene sterilized by gamma irradiation. Each lot is tested for endotoxins (C.5 Eu/ML) (ISO TO993-11) and Cytotoxicity (ISO 10993-5) and are guaranteed non-haemolytic (ISO 10993-4). Ideal for use within tissue culture applications.

Features:

- Designed for accurate and rapid fluid dispensing, these polystyrene pipettes are sterile, pyrogen-free and cotton-plugged for a variety of liquid handling applications
- The sharp, black, highly legible permanent graduations prevent ambiguity and guarantee precise reading and accurate dispensing to +1-2%.
- Pipettes are supplied individually wrapped in fibre-free colour-coded paper and plastic combination that is easy to open
- Each pipette comes with an effective filter barrier to prevent overflow of liquid into pipette
- Reverse graduations show the volume removed or remaining on all pipettes larger than 1mL.
- Generous negative graduations provide additional pipetting volume.
- The uniform mouth piece fits all major pipettors and is colour-coded for ease of identification



Ordering Information

Cat. No.	Description	Volume	Package	Colour
SP-1-C	Serological pipette	1mL	500 pcs.	Yellow
SP-2-C	Serological pipette	2mL	500 pcs.	Green
SP-5-C	Serological pipette	5mL	200 pcs.	Blue
SP-10-C	Serological pipette	10mL	200 pcs.	Orange
SP-25-C	Serological pipette	25mL	150 pcs.	Dark Blue
SP-50-C	Serological pipette	50mL	100 pcs.	Purple
SP-100-C	Serological pipette	100mL	50 pcs.	Pink

BluCapp

15 mL/50 mL CENTRIFUGE TUBES

Designed to cover the everyday need for sample storage and centrifugation in the lab, the **BluCapp Centrifuge tubes** feature easy-to-read graduations as well as a large writing area (20x50mm).

Features:

- The leak-proof caps have large ridges to provide the optimal grip when wearing gloves
- Combined with the 3/4 turn closure, it significantly increases speed and allows one-handed operation
- Made from polypropylene, the **BluCapp Centrifuge tubes** are autoclavable and tested to endure up to 16.000 RCF



Ordering Information

Centrifuge Tubes: **BluCapp** 15mL and 50mL tubes

Cat. No.	Description
5100015C	BluCapp 15mL, pre-sterile, 20x25 pcs.
5100050C	BluCapp 50mL, pre-sterile, 20x25 pcs.
5100060C	BluCapp 50mL, pre-sterile, self-standing, 20x25pcs.

Expell Cryo Tubes


Superior by Design™

Capp offers a unique portfolio of cryo tubes in 5 sizes: 0.5mL, 1.0mL, 2.0mL, 4.0mL and 5.0mL.

Expell Cryo Tubes are designed with a focus on the best user experience and convenience. Featured with single-handed QuickSeal™ closure, the external thread design allows tightening or removal with only half a turn. These are one of the only cryo tubes with external thread and star foot which can be stored in 10x10 cryo boxes, saving up to 23% storage capacity compared to conventional cryo solutions. They are also compatible with common workstations on the market.

Both the caps and the cryo tubes are made of specially formulated polypropylene, having the same coefficient of expansion and therefore enhancing the leak proof qualities at various temperatures.

Expell Cryo Tubes come packed in resealable stand-up pouches, saving benchtop space. They are suitable for storage in the vapour phase of liquid nitrogen.



Ordering Information

Expell Cryo Tubes

Cat. No.	Description
5040500C	Expell Cryo Tube 0,5mL, 10x100 pcs.
5041000C	Expell Cryo Tube 1,0mL, 10x100 pcs.
5042000C	Expell Cryo Tube 2,0mL, 10x100 pcs.
5044000C	Expell Cryo Tube 4,0mL, 5x100 pcs.
5045000C	Expell Cryo Tube 5,0mL, 5x100 pcs.

2in1 Coloured Cap Inserts for Expell Cryo Tubes

Cat. No.	Description
504RB00C	Red-blue cap for Expell Cryo Tube, 6x100 pcs.
504YG00C	Yellow-green cap for Expell Cryo Tube, 6x100 pcs.
504PW00C	Pink-white cap for Expell Cryo Tube, 6x100 pcs.
504MX00C	Mix colour cap for Expell Cryo Tube, 6x100 pcs.

Expell Cryo Boxes

Expell Cryo Boxes from Capp are made of highly durable polypropylene and suitable both for freezing at -90°C and autoclaving at +121°C for 20 minutes.

Expell Cryo Boxes are universally compatible with many other brands of cryo tubes. When used along with **Expell Cryo Tubes**, they provide further unique, space-saving advantages. This is possible thanks to the unique design of **Expell Cryo Tubes**. External thread cryo tubes are normally stored in boxes with 9 x 9 dividers, as the construction of the external thread adds an edge to the lid.

The streamlined design of **Expell Cryo Tubes** eliminates the edges, making them perfectly suitable for storage in boxes with 10x10 dividers. This increases the storage space by up to 23%, compared to storage in standard 9 x 9 boxes.

Expell Cryo Boxes have a numerical coding on both the lid and the bottom of each box. The edges of the boxes are slanted in order to ensure proper lid positioning and eliminate any potential encoding failures. The star-foot lock at the bottom of each box well enables one-handed tube opening without taking the tube out of the box.

Features:

- Save up to 23% storage space with **Expell Cryo Boxes** with 10 x 10 dividers
- 5 sizes of **Expell Cryo Boxes** are available (height: 32, 40, 50, 80 and 90mm) to perfectly fit **Expell Cryo Tubes** sizes from 0.5 to 5mL
- Quick and easy sample identification is possible thanks to the numerical coding for each tube
- Made of high quality durable polypropylene, suitable for storing at -90°C and autoclaving at +121°C for 20 minutes
- Star-foot lock at the bottom of each box well, enabling one-handed tube opening without taking the tube out of the box
- Slanted edges for easier identification and handling

Ordering Information

Expell Cryo Boxes

Cat. No.	Description
5040510C	Expell Cryobox w/10x10dv. 0.5mL, 180 pcs.
5041010C	Expell Cryobox w/10x10dv, 1mL, 105 pcs.
5042010C	Expell Cryobox w/10x10dv. 2mL, 105 pcs.
5044010C	Expell Cryobox w/10x10dv. 4mL, 90 pcs.
5045010C	Expell Cryobox w/10x10dv. 5mL, 60 pcs.



Expell Microcentrifuge Tubes

The graduated **Expell microcentrifuge tubes** are manufactured from virgin PP, out of the finest molds available.

Features:

- One-handed open/close operation
- Perfect sealing and evaporation protection
- Polished interior to prevent from protein adhesion
- High clarity for good sample visibility.

All **Expell microcentrifuge tubes** are DNase, RNase, Pyrogen free and withstand up to 20.000g.

Trust the **Expell microcentrifuge tubes** from Capp, and experience a fantastic stability on your centrifugation protocols.



Ordering Information

Expell Microcentrifuge Tubes

Cat. No.	Description
5100500C	Expell Microcentrifuge tubes 0.5mL, bulk, 10x1000 pcs.
5001500C	ExpellPlus Microcentrifuge tubes 1.5mL, bulk, low retention, 20x500 pcs.
5101500C	Expell Microcentrifuge tubes 1.5mL, bulk, 20x500 pcs.
5101590C	Expell Microcentrifuge tubes 1.5 mL, bulk, assorted colors, 20x500 pcs. (magenta, blue, yellow, green, orange)
5102000C	Expell Microcentrifuge tubes 2.0mL, bulk, 10x500 pcs.

Expell

BLACK MICROCENTRIFUGE TUBES

With a special focus on processing light-sensitive samples, Capp has developed **Expell** black microcentrifuge tubes. The black tubes are available in one size (1.5mL) and come bulk packed in bags of 500pcs.

The black Polypropylene compound creates a completely opaque barrier, preventing light from causing any reactions within the liquid inside the tube, making the tubes ideal for processing light sensitive samples. **Expell** black microcentrifuge tubes are a great alternative to the commonly used method of wrapping the tube in aluminum foil in order to protect the samples from light impact.

Expell black microcentrifuge tubes are suitable for applications requiring photo-sensitive, fluorescent or ethidium bromide probes. Unlike amber tinted tubes, **Expell** black microcentrifuge tubes are completely opaque and protect even the most light-sensitive samples.



Ordering Information

Expell Black Microcentrifuge Tubes

Cat. No.	Description
5101550C	Expell Microcentrifuge tubes 1.5 mL, bulk, black, 20x500 pcs .

Expell PCR

PCR TUBES & PLATES


Capp **Expell PCR** line comprises of 0.1mL and 0.2mL tubes with plug caps, strips of 8 tubes, strips, plates and optical adhesives. The V-shape bottom allows total sample recovery and the thin-walled wells of polypropylene allow a very good transmission of temperature and minimize condensation.



5100200C




5100210C



5100211C




5100212C



5100213C



5100300C




5100310C



5100311C



5100313C



5100400C

Ordering Information

For standard PCR / qPCR thermocyclers that require regular profile 0.2mL tubes

Cat. No.	Description
5100200C	Expell PCR tubes 0.2mL, bag, 20x1000 pcs.
5100210C	Expell PCR strips of 8 tubes 0.2mL, bag, 20x120 pcs.
5100211C	Expell PCR strips of 8 caps (flat), for 0.1mL and 0.2mL tubes, bag, 30x120pcs.
5100212C	Expell PCR strips of 8 tubes w/ single attached caps 0.2mL, 8x120 pcs.
5100213C	Expell PCR plate of 96 x 0.2mL, 8x 25 pcs., non-skirted

For fast PCR / qPCR thermocyclers that require low profile 0.1mL tubes

Cat. No.	Description
5100300C	Expell PCR tubes 0.1mL, bag, 20x1000 pcs.
5100310C	Expell PCR strips of 8 tubes 0.1mL, bag, 15x120 pcs.
5100311C	Expell PCR strips of 8 tubes w/ single attached caps 0.1mL, 8x120 pcs.
5100313C	Expell PCR plate of 96 x 0.1mL, 8x 25 pcs., non-skirted
5100400C	Expell PCR Optical Disposable Adhesive, bag of 100 pcs.

Expell


384-WELL PCR PLATES

Capp **Expell 384-well PCR plates** are the ideal choice for PCR applications, thanks to their unique PP composition, their rigid form as well as the universal compatibility with basically all standard 384-well cyclers and many 384-well block (q)PCR cycler models.

The unique blend of PP used for the production of **Expell 384-well PCR plates** results in optimal transparency, which makes the plates ideal for PCR and qPCR applications where the optical qPCR signal is obtained through the bottom of the plate.

Expell 384-well PCR plates are rigid, flat, stackable and fully skirted. Apart from the universal compatibility with the standard cyclers, **Expell 384-well PCR plates** are also ideal for robotic applications, enabling high-throughput and low-volume processing.

The ultra thin walls of **Expell 384-well PCR plates** are specially treated to minimize the binding of proteins. Capp plates are DNA, DNase, RNA, RNase and Pyrogen free certified and autoclavable. They feature an extremely low evaporation grade of less than 3%, enabling processing PCR volumes as small as 5µL. Capp provides the optical adhesives (Cat. No. 5100400C) ensuring the most optimal closure of **Expell 384-well PCR plates**.



Ordering Information

Expell 384-well PCR plates

Cat. No.	Description
5100513C	Expell 384-well PCR Plates, natural, 320 pcs.
5100400C	Expell PCR Optical Disposable Adhesive, 100 pcs.

CappBravo

SINGLE CHANNEL PIPETTE



Highlights

- Lightweight ergonomic design
- Extremely user friendly
- Volume lock feature
- Stainless steel piston
- Universal tip cones
- Fully autoclavable



ecopipette™ by CAPP

SINGLE CHANNEL PIPETTE



Highlights

- Lockable volume controller
- Low forces for aspiration & blow-out
- The only pipette with fixed & variable plungers
- Double o-ring for optimal tip seal
- Robust design with metal tip base
- Fully autoclavable



CappAero96

MULTICHANNEL PIPETTE



Highlights

- Easily exchangeable counter
- Highly ergonomic tip ejection lever
- Fully autoclavable body
- Metallic tip cone with double o-rings
- Single channel accuracy and precision



CappAero384

MULTICHANNEL PIPETTE



Highlights

- Unique line for 384-well pipetting
- Highly ergonomic tip ejection lever
- Superior accuracy & precision
- Fully autoclavable



CappMaestro

ELECTRONIC SINGLE CHANNEL PIPETTE



Highlights

- Fully coloured OLED display
- Lightweight construction
- Large tip ejector
- User-friendly, intuitive interface
- Protocol switch by 2 clicks
- Long lasting performance
- Calibration & password setting

CappTronic

ELECTRONIC MULTICHANNEL PIPETTE



Highlights

- Extremely user-friendly
- Memory capacity up to 9 protocols
- One-side programming manual
- Long-life lithium battery
- Ultimate performance
- Wide tip compatibility



CappR10

MECHANICAL REPEATER



Highlights

- Elegant & ergonomic design
- Highly robust
- Wide range of retips



CappTempo

PIPETTE CONTROLLER



Highlights

- Digital display
- Adjustable speeds
- Electronic Brake System (EBS)



CappRondo

BENCHTOP EQUIPMENT



Highlights

- Uniquely elegant range of benchtop instruments, including: multiple centrifuges, mixers, plate shakers and magnetic stirrers.



Capp Harmony

RETIPS

Capp offers a wide range of **Capp Harmony** retips, featuring universal compatibility with the majority of repeater pipettes available on the market.

The concept of the retips is based on the positive displacement principle, where the piston of the retip is in direct contact with the liquid being processed, minimizing the dead volume leading to increased inaccuracy and imprecision margins.

Capp Harmony retips are therefore ideal to assure very reliable results on your liquid handling protocol. Moreover, the disposable pistons of **Capp Harmony** retips are perfectly suitable for applications involving viscous liquids and for protocols requiring an increased prevention of cross contamination, such as pipetting of infectious and volatile liquids.

Capp Harmony retips along with Capp repeater pipettes - **Capp Rhythm** or **Capp R10** - are the optimal tool for any multidispensing application. Available in 11 sizes (8 for **Capp Rhythm**, 11 for **Capp R10** repeater) they come bulk or in an individual sterile packaging.



Ordering Information

Capp Harmony Syringes

Cat. No. Description

RS-01-C	Syringes 0,05 mL, 100 pcs.
RS-11-C	Syringes Pro 0,1 mL, 100 pcs.
RS-12-C	Syringes Pro 0,2 mL, 100 pcs.
RS-02-C	Syringes Pro 0,5 mL, 100 pcs.
RS-13-C	Syringes Pro 1,0 mL, 100 pcs.
RS-03-C	Syringes 1,25 mL, 100 pcs.
RS-04-C	Syringes Pro 2,5 mL, 100 pcs.
RS-05-C	Syringes Pro 5,0 mL, 100 pcs.
RS-14-C	Syringes Pro 10,0 mL, 100 pcs.
RS-06-C	Syringes 12,5 mL, 100 pcs.
RS-07-C	Syringes Pro 25,0 mL, 25 pcs.
RS-08-C	Syringes Pro 50,0 mL, 25 pcs.

Capp Harmony Syringes, Sterile, Individually Packed

Cat. No. Description

RS-01S-C	Syringes 0,05 mL, sterile, individually packed, 100 pcs.
RS-11S-C	Syringes Pro 0,1 mL, sterile, individually packed, 100 pcs.
RS-12S-C	Syringes Pro 0,2 mL, sterile, individually packed, 100 pcs.
RS-02S-C	Syringes Pro 0,5 mL, sterile, individually packed, 100 pcs.
RS-13S-C	Syringes Pro 1,0 mL, sterile, individually packed, 100 pcs.
RS-03S-C	Syringes 1,25 mL, sterile, individually packed, 100 pcs.
RS-04S-C	Syringes Pro 2,5 mL, sterile, individually packed, 100 pcs.
RS-05S-C	Syringes Pro 5,0 mL, sterile, individually packed, 100 pcs.
RS-14S-C	Syringes Pro 10,0 mL, sterile, individually packed, 100 pcs.
RS-06S-C	Syringes 12,5 mL, sterile, individually packed, 100 pcs.
RS-07S-C	Syringes Pro 25,0 mL, sterile, individually packed, 25 pcs
RS-08S-C	Syringes Pro 50,0 mL, sterile, individually packed, 25 pcs.

Capp Harmony

COMPATIBILITY CHART

For syringes' compatibility with other pipette brands, please contact info@capp.dk



RS-01-C

RS-01S-C

**Capp Harmony
syringes 0.05mL
100 pcs**



RS-11-C

RS-11S-C

**Capp Harmony
syringes 0.1mL
100 pcs**



RS-12-C

RS-12S-C

**Capp Harmony
syringes 0.2mL
100 pcs**



RS-02-C

RS-02S-C

**Capp Harmony
syringes 0.5mL
100 pcs**



RS-13-C

RS-13S-C

**Capp Harmony
syringes 1.0mL
100 pcs**



RS-03-C

RS-03S-C

**Capp Harmony
syringes 1.25mL
100 pcs**

Capp Rhythm Repeater	Fully compatible	Not compatible	Not compatible	Fully compatible	Not compatible	Fully compatible
Capp R10 Repeater	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible
Biohit Mechanical Stepper	Fully compatible	Not compatible	Not compatible	Fully compatible	Fully compatible	Fully compatible
eLINE Lite Dispenser	Not compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Not compatible
eLINE Pro Dispenser	Not compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Not compatible
Fisherbrand	Fully compatible	Not compatible	Not compatible	Fully compatible	Not compatible	Fully compatible
HTL MINILAB 201	Fully compatible	Not compatible	Not compatible	Fully compatible	Not compatible	Fully compatible
Brand HandyStep	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible
Brand HandyStep electronic	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Not compatible	Fully compatible
Gilson Distriman / Repetman	Not compatible	Not compatible	Not compatible	Not compatible	Not compatible	Fully compatible
Raining Auto Rep S	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible
Raining Auto Rep E	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Not compatible	Fully compatible

Capp Harmony

COMPATIBILITY CHART

For syringes' compatibility with other pipette brands, please contact info@capp.dk




RS-04-C	RS-05-C	RS-14-C	RS-06-C	RS-07-C	RS-08-C
RS-04S-C	RS-05S-C	RS-14S-C	RS-06S-C	RS-07S-C	RS-08S-C
Capp Harmony syringes 2.5mL 100 pcs	Capp Harmony syringes 5mL 100 pcs	Capp Harmony syringes 10mL 100 pcs	Capp Harmony syringes 12.5mL 100 pcs	Capp Harmony syringes 25mL 25 pcs	Capp Harmony syringes 50mL 25 pcs
Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible	Fully compatible
Not compatible	Not compatible	Not compatible	Fully compatible	Not compatible	Not compatible
Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible	Fully compatible
Fully compatible	Fully compatible	Not compatible	Fully compatible	Fully compatible	Fully compatible



Capp ApS
Landbrugsvej 10 • DK 5260
Odense S • Denmark
tlf +45 6613 6140
fax +45 6613 2770
info@capp.dk

www.capp.dk

Distributed by:



v.2017-02